

## XT Series



### Features of our Wireless Matko Transceiver:

- **Multiple Data Inputs:** Accommodates the most common protocols and can work with all major competitors systems.
- **Multiple Data Transmission Speeds:** Has a wide selection of common BAUD rates.
- **Simple Configuration:** Easy & Fast Setup.
- **Automatic Error Correction:** Filters out RF noise and eliminates false readings.
- **Wide Wireless Range:** Wireless range is from .25-mile to one-mile.
- **Setup Multiple Independent Systems:** Have several wireless scale systems at the same site.
- **NEMA 4 Weatherproof Enclosure:** Moistureproof for harsh environments.
- **Professional Design and Built in USA:** Meets FCC (USA), IC (Canada) and EPSI (Europe) Rules and Regulations while having the best reliability in the industry.
- **Digital IO line Passing:** Up to 4 lines of Digital input passed from one transceiver to another

### What are the Benefits to purchasing a Matko Wireless Transceiver?

- Eliminates maintenance of troublesome cable runs.
- More cost effective than trenching and running wire through conduit.
- Isolates devices for better lightning protection.
- Faster installation.
- Increased overall data reliability (selfcorrecting error detection).
- Rated the Best & Most Reliable In The Industry.
- Strict Quality Standards.
- Latest & Most Advanced Technology.
- SAVES A LOT OF MONEY & TIME.

	MODEL XT100	MODEL XT200	MODEL XT300	MODEL XT400
Baud Rate				
1200		•	•	•
2400		•	•	•
4800		•	•	•
9600	9600 (Fixed)	•	•	•
19200		•	•	•
Line of Sight Distance				
Outdoor				
1/4 Mile	•	•	•	•
1/2 Mile		•	•	•
1 Mile			•	•
Indoor				
75 Feet	•	•	•	•
150 Feet		•	•	•
300 Feet			•	•
Protocol				
RS232	•	•	•	•
20 ma CL Active		•	•	•
20 ma CL Passive		•	•	•
RS422		•	•	•
RS485			•	•
Networked ID's	1	2	16	16
Digital IO Line Passing	0	0	0	up to 4
Configuration	Fixed	In Field	In Field	In Field
Enclosure	NEMA 4	NEMA 4	NEMA 4	NEMA 4